

# Revised Proposal-3

(Valid for 30 days from Proposal date)

PROPRIETARY AND CONFIDENTIAL PROPERTY OF Trane U.S. Inc.
DISTRIBUTION TO OTHER THAN THE NAMED RECIPIENT IS PROHIBITED

2011 Trane All rights reserved

Prepared For:

Greenbelt Community Center

Attn: Jim Sterling

Date: March 16, 2016

Proposal Number: E2-160264-2

Job Name:

Greenbelt Community Center-FCU Proposal

Engineer:

MENDOZA RIBAS FARINAS & ASSOC

6265 EXECUTIVE BLVD ROCKVILLE, MD 20852

Delivery Terms:

Freight Allowed and Prepaid - F.O.B. Factory

Payment Terms:

Net 30 Days

Trane U.S. Inc. is pleased to provide the following proposal for your review and approval.

Tag Data - Fan Coil Air Conditioning Units (Qty: 79)

Item	Tag(s)	Qty	Description	Model Number
A1	FCU-1-800V -2	3	Fan Coil Air Conditioners (UniTrane) (	FCBB0801L**A0H2FAC4M00D2P0FKZ000200 00K0000
A2	FCU-1-800V -20	9	Fan Coil Air Conditioners (UniTrane) (	FCBB0801L**AEH2FAC4M00D2P0FKZ000200 00K0000
АЗ	FCU-2-600V -2	29	Fan Coil Air Conditioners (UniTrane) (	FCBB0601L**A0H2FAC4M00D2P0FKZ000200 00K0000
A4	FCU-2-600V -20	4	Fan Coil Air Conditioners (UniTrane) (	FCBB0601L**AEH2FAC4M00D2P0FKZ000200 00K0000
A5	FCU-3-400V -2	11	Fan Coil Air Conditioners (UniTrane) (	FCBB0401L**A0H2FAC4M00D2M0FKZ000200 00F0000
A6	FCU-4-300V -2	14	Fan Coil Air Conditioners (UniTrane) (	FCBB0301L**A0H2FAC4M00D2M0FKZ000200 00E0000
A7	FCU-A-300H -4	1	Fan Coil Air Conditioners (UniTrane) (	FCCB0301J**F0A00BF4M00D2KKFK7000200 00EC000
A8	FCU-B-400H -4	1	Fan Coil Air Conditioners (UniTrane) (	FCCB0401J**F0A00BF4M00D2KKFK7000200 00EC000
A9	FCU-C-600H -4	1	Fan Coil Air Conditioners (UniTrane) (	FCCB0601J**F0A00BF4M00D2NKFK7000200 00GD000
A10	FCU-D-800H -4	1	Fan Coil Air Conditioners (UniTrane) (	FCCB0801J**F0A00BF4M00D2MKFK7000200 00JE000
A11	FCU-E-1000 H-4	2	Fan Coil Air Conditioners (UniTrane) (	FCCB1001J**F0A00BF4M00D2PKFK7000200 00DG000
A12	FCU-F-300V -4	1	Fan Coil Air Conditioners (UniTrane) (	FCBB0301J**A0H2FAF4M00D2MKFK7000200 00FC000
A13	FCU-G-400V -4	2	Fan Coil Air Conditioners (UniTrane) (	FCBB0401L**A0H2FAF4M00D2MKFK7000200 00DG000

# Product Data - Fan Coil Air Conditioning Units

#### All Units

Fan Coil 115v/60hz/1ph

Stainless Steel Drain pan

Manual air vent

With disconnect switch

1" MERV 8 filter

Deluxe ball valves (supply & return) with Autoflow valve

UC400 with single zone control

Condensate overflow detection

Year 2 Parts Warranty Whole Unit

2 Year Labor Warranty by Boland

Freeze stat added to 13 units with OA dampers

Bacnet communication

Startup by Boland is included; Note contractor shall check and verify proper water flow and power Has been provided to each fan coil requested for start-up. Contractor shall have minimum of 6 units ready for startup per day. Startup delays associated with the installation of the units will be charged at an hourly rate to the contractor

## Item: A1 Qty: 3 Tag(s): FCU-1-800V-2

Vertical cabinet

Size 080

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=2.7 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

4.5 gpm Autoflow valve (main)

3 Way spring return valve

## Item: A2 Qty: 9 Tag(s): FCU-1-800V-2Outside Air Dampers

Vertical cabinet

Size 080

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Automatic, 2 position fresh air damper w/ back opening

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=2.7 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

4.5 gpm Autoflow valve (main)

3 Way spring return valve

Freeze stat

## Item: A3 Qty: 29 Tag(s): FCU-2-600V-2

Vertical cabinet

Size 060

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=2.7 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

4.5 gpm Autoflow valve (main)

3 Way spring return valve

## Item: A4 Qty: 4 Tag(s): FCU-2-600V-2Outside Air Dampers

Vertical cabinet

Size 060

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Automatic, 2 position fresh air damper w/ back opening

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=2.7 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

4.5 gpm Autoflow valve (main)

3 Way spring return valve

Freeze stat

## Item: A5 Qty: 11 Tag(s): FCU-3-400V-2

Vertical cabinet

Size 040

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=1.1 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

2.5 gpm

3 Way spring return valve

## Item: A6 Qty: 14 Tag(s): FCU-4-300V-2

Vertical cabinet

Size 030

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

4 row cooling/heating coil

3 way, modulating, Cv=1.1 (60 psig) cooling control valve

None: valve wiring/controls not provided

Unit-mounted zone sensor module (OALMH, sp dial, on/cnc buttons)

2.0 gpm

3 Way spring return valve

## Item: A7 Qty: 1 Tag(s): FCU-A-300H-4

Horizontal concealed

Size 030

With piping, right hand connection

Back duct collar return

Front duct collar supply

High static fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=0.6 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

2.0 gpm

1.0 gpm Autoflow valve (aux)

3 Way Spring Return Valve

## Item: A8 Qty: 1 Tag(s): FCU-B-400H-4

Horizontal concealed

Size 040

With piping, right hand connection

Back duct collar return

Front duct collar supply

High static fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=0.6 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

2.0 gpm

1.0 gpm Autoflow valve (aux)

3 Way Spring Return Valve

## Item: A9 Qty: 1 Tag(s): FCU-C-600H-4

Horizontal concealed

Size 060

With piping, right hand connection

Back duct collar return

Front duct collar supply

High static fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=2.3 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

3.0 gpm Autoflow valve (main)

1.5 gpm Autoflow valve (aux)

3 Way Spring Return Valve

## Item: A10 Qty: 1 Tag(s): FCU-D-800H-4

Horizontal concealed

Size 080

With piping, right hand connection

Back duct collar return

Front duct collar supply

High static fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=1.1 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

4.0 gpm Autoflow valve (main)

2.0 gpm Autoflow valve (aux)

3 Way Spring Return Valve

## Item: A11 Qty: 2 Tag(s): FCU-E-1000H-4

Horizontal concealed

Size 100

With piping, right hand connection

Back duct collar return

Front duct collar supply

High static fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=2.7 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

1.5 gpm

3.0 gpm Autoflow valve (aux)

3 Way Spring Return Valve

#### Item: A12 Qty: 1 Tag(s): FCU-F-300V-4

Vertical cabinet

Size 030

With piping, right hand connection

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=1.1 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

2.5 gpm

1.0 gpm Autoflow valve (aux)

3 Way Spring Return Valve

## Item: A13 Qty: 2 Tag(s): FCU-G-400V-4

Vertical cabinet

Size 040

With piping, right hand connection, extended endpocket, pipe side

Front toe space return

Top bar grille supply

Color to be selected from Trane Standard Colors by the Architect

Keylock access door with leveling feet

Free discharge fan motor

3 row cooling, 1 row heating coil

3 way, modulating, Cv=1.1 (60 psig) cooling control valve

3 way, modulating, Cv=0.6 (60 psig) heating control valve

Wireless display temp sensor, unit mtd receiver (OALMH) (Fld)

1.5 apm

3.0 gpm Autoflow valve (aux)

3 Way Spring Return Valves

## Cost if purchased in two groups:

PS: As discussed the quantity discount for the 9 units is lost when the 9 units are ordered separate from the 79. The full quantity discount still applies to the 70 unit quantity.

This is why the two grouped units added together is higher than the total of all units purchased at the same time.

PSS: The total FCU's has been reduced by one as the demo unit has already been purchased and installed.

	Taxable Exempt		IF EXEMPT PLEASE SUBMIT COMPLETED TAX EXEMPTION CERTIFICATE WITH YOUR SIGNED PROPOSAL OR WITH YOUR PURCHASING DOCUMENTS, KEEP YOUR ORIGINAL ON FILE IN THE OFFICE. YOU WILL BE CHARGED TAX IF A VALID EXEMPTION CERTIFICATE IS NOT ON FILE BEFORE EQUIPMENT, PARTS OR SERVICES ARE PROVIDED. SEE WWW.TAXSITES.COM/STATE-LINKS.HTML FOR TAX FORMS.
--	-------------------	--	---

Sincerely,

James Fusco - Trane U.S. Inc.

30 West Watkins Mill Road Gaithersburg, MD 20878 Phone: (240) 306-3000

Cell:

Fax: (240) 306-3300

This proposal is subject to your acceptance of the attached Trane terms and conditions.